



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/586,481	06/01/2000	Klaus Gettwart	P00.0937	8302

7590 06/17/2003
SCHIFF, HARDIN & WAITE
PATENT DEPARTMENT
7100 SEARS TPWER
CHICAGO, IL 60606-6473

RECEIVED

JUN 23 2003

MARSHALL GERSTEIN

EXAMINER

CHARLES, DEBRA F

ART UNIT PAPER NUMBER

3628

DATE MAILED: 06/17/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED

JUN 25 2003

SCHIFF HARDIN & WAITE
U.S. PATENT DEPT.

<p align="center">Office Action Summary</p>	Application No. 09/586,481	Applicant(s) GETTWART ET AL.	
	Examiner Debra F. Charles	Art Unit 3628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 April 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
 If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
 * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ | 6) <input type="checkbox"/> Other: |

Art Unit: 3628

DETAILED ACTION

Response to Amendment

1. Claims 1 and 9 have been amended.

Response to Arguments

2. Applicant's arguments filed 8 April 2003 have been fully considered but they are not persuasive. The Attorney's argument that Gil et al. permits the customer to deposit mail to be transported by any carrier rather than just through a governmental body fails to consider that a governmental body is a carrier. The franking process is performed by both public and private carriers depending on which company the customer uses to mail the item. UPS, FedEx and the United Postal Service all perform franking activities on the items mailed through their service. Receiving stations such as Mail Boxes, Etc. and distribution stations such as UPS or FedEx have existed before the applicant's file date. Customers may request their mail be sent through the United States Postal System or UPS or FedEx at any Mail Boxes, Etc. receiving station. Receiving stations such as Mail Boxes, Etc. are remote from the distribution stations of United States Postal System or UPS or FedEx. Such receiving and distribution stations are remote from each other and, while Gil et al. does not detail this, it would be obvious to one skilled in the art that such receiving and distribution stations are remote from each other.

Cantu et al. is a solar-powered apparatus and solar-power does enable the apparatus to operate. Thus, it would be obvious to one skilled in the art to use solar power to operate an apparatus such as a control unit.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-13 and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gil et al. (US 5586037 A).

Art Unit: 3628

Re claims 1 and 9: Gil et al. disclose a method for processing postal matter comprising the steps of:

providing a receiving station and at said receiving station allowing a customer to deposit a postal item and to enter shipping data for said postal item into said receiving station and, at said receiving station, printing a machine readable marking, not approved for franking, on said postal item representing said shipping data, to produce a marked postal item, and temporarily storing said marked postal item at said receiving station(col. 2, lines 1-5 and 35-65);

transporting said marked postal item to a distributing station, remote from and unconnected to said receiving station, and providing a franking apparatus and a memory accessible by said franking apparatus at said distributing station, and transferring said shipping data from said marking into said memory at said distributing station(col. 2, lines 55-60); and franking said postal item with said franking apparatus with an approved franking imprint at said distributing station according to said shipping data transferred from said marking and stored in said memory to produce a franked postal item(Abstract, col.2, lines 5-15).

Official notice is taken that storing data in said memory is old and well-known in the computer art. It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to implement Gil et al.'s invention with computer memory to store data in order to get the advantage of producing a postal franking on the item to be mailed.

Re claims 2 and 10, Gil et al. disclose a method as claimed in claims 1 and 9 wherein said memory at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) is a first memory, and said method comprising(Gil et al., Abstract, Cols. 1-18):

at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), providing a first read/write unit and a normally closed slot for inserting said postal item, and providing a normally closed removal port for removing said marked postal item from said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65);

said customer inserting a customer-possessed card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60), into said read/write unit; enabling opening of said slot to allow said postal item to be deposited at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) while said customer-possessed card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) is in said read/write unit;

generating a number at said read/write unit uniquely allocated to the postal item deposited by said customer(Gil et al., Abstract, Col. 10, Lines 20-26);

printing said number on said postal item together with said marking at said

Art Unit: 3628

receiving station(Gil et al., Abstract, Col. 2, Lines 35-65);

providing a second memory at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) and storing said number and said shipping data, as accounting data, in said second memory; for removing said postal item from said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), inserting a carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) possessed by a first mail carrier, having a carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) memory, into said first read/write unit at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) and loading said accounting data from said second memory into said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) memory;

enabling opening of said removal port at said receiving station(Gil et al., Abstract, Col.2, Lines 35-65) while said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) is inserted in said first read/write unit and removing said marked postal item from said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65);

wherein the step of transporting said marked postal item to said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) comprises transporting said marked postal item to said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) via said first mail carrier together with said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60);

providing a second read/write unit at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) and inserting said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) into said second write/read unit and downloading said accounting data from said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col.14, Lines 39-67, Col. 15, Lines 55-60) memory into said first memory;

providing a sensor and feeder stage upstream from said franking apparatus(Gil et al., Abstract, Col. 2, Lines 55-60) at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) and entering said marked postal item into said sensor and feeder stage; after franking said marked postal item with said franking apparatus(Gil et al., Abstract, Col. 2, Lines 55-60) at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65),

Art Unit: 3628

printing a list at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) identifying said postal item as having been franked; and

said first mail carrier transporting said franked postal item from said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65), together with said list, to a mail distribution(Gil et al., Abstract, Col. 5, Lines 45-60) center remote from said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65); and

from said mail distribution(Gil et al., Abstract, Col. 5, Lines 45-60) station(Gil et al., Abstract, Col. 2, Lines 35-65), delivering said franked postal item to a recipient identified by said shipping data via a second mail carrier(Gil et al., Abstract, Cols. 1-18).

Re claims 3 and 6: Gil et al. disclose customer-possessed card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) is a value card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) and customer card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) containing an identification number(Gil et al., Abstract, Col. 10, Lines 19-26)uniquely allocated to a customer, and comprising the steps of: reading said identification number(Gil et al., Abstract, Col. 10, Lines 19-26)from said customer card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) in said first read/write unit and storing said identification number(Gil et al., Abstract, Col. 10, Lines 19-26)in said second memory at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) as part of said accounting data; in said sensor and feeder stage at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65), detecting a format, a thickness and a weight(Gil et al., Abstract, Col. 3, Lines 1-45) of said marked postal item; providing a postal calculation unit at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) and supplying said postal calculating unit with information identifying said format, thickness, weight(Gil et al., Abstract, Col. 3, Lines 1-45) and said accounting data and, in said postal calculating unit, calculating a cost(Gil et al., Abstract, Col. 9, Lines 5-67) of shipping said marked postal item from said format, thickness, weight(Gil et al., Abstract, Col. 3, Lines 1-45) and shipping data; and debiting a customer account, identified by said identification number, by said cost(Gil et al., Abstract, Col. 9, Lines 5-67).

Re claims 4 and 13: Gil et al. disclose providing a sensor at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) which detects deposit of said postal item at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) through said slot, and providing a clock/date module(Gil et al., Abstract, Col. 6, Lines 15-25)at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), which, depending on a signal from said sensor, identifies a time and date at which said postal item was deposited at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65); and

storing said time and date in said second memory at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) allocated to said number and said shipping data(Gil et al., Abstract, Col. 10, lines 19-26, Col. 18, Lines 20-25).

Art Unit: 3628

Re claims: 5 and 11, Gil et al. disclose method as claimed in claims 2 and 9 wherein said customer-possessed card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) is a value card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60), and comprising the steps of:

at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), providing a plurality of sensors(Gil et al., Abstract, Col. 7, Lines 1-30) for respectively identifying a format of said postal item, a thickness of said postal item and a weight(Gil et al., Abstract, Col. 3, Lines 1-45) of said postal item, and providing a postal calculation unit at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65);

supplying said postal calculation unit at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) with signals from said plurality of sensors(Gil et al., Abstract, Col. 7, Lines 1-30) and, in said postal calculation unit, calculating a cost(Gil et al., Abstract, Col. 9, Lines 5-67) of shipping said item dependent on said shipping data, said format, said thickness and said weight(Gil et al., Abstract, Col. 3, Lines 1-45); and

debiting said value card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) in said read/write unit by said cost(Gil et al., Abstract, Col. 9, Lines 5-67).

Re claim 7: Gil et al. disclose providing a sensor at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65)which detects deposit of said postal item at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) through said slot, and providing a clock/date module(Gil et al., Abstract, Col. 6, Lines 15-25)at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) which, upon receipt(Gil et al., Abstract, Col. 2, Lines 5-15) of a signal from said sensor, identifies a time and date(Gil et al., Abstract, Col. 6, Lines 15-25, Col. 10, Lines 19-26) at which said postal item was deposited at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65); and

printing a customer receipt(Gil et al., Abstract, Col. 2, Lines 5-15) at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) identifying said number, said time and date(Gil et al., Abstract, Col. 6, Lines 15-25, Col. 10, Lines 19-26) and said shipping data and making said customer receipt(Gil et al., Abstract, Col. 2, Lines 5-15) available to said customer at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65).

Re claim 8: Gil et al. disclose memory at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) is a first memory, and comprising the steps of:

at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), providing a first read/write unit, a normally closed slot for inserting said postal item into said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), and a normally closed

Art Unit: 3628

removal port for removing said marked postal item from said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65);

inserting a customer card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) into said first read/write unit at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), said customer card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) containing an identification number(Gil et al., Abstract, Col. 10, Lines 19-26)uniquely identifying a customer, and enabling opening of said slot when said customer card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) is inserted in said read/write unit;

providing a sensor at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) which senses deposit of said postal item into said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) through said slot, and providing a clock/date module(Gil et al., Abstract, Col. 6, Lines 15-25)which identifies a time and date, dependent on a signal from said sensor, at which said postal item was deposited at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65);

at said first read/write unit, generating a unique number for said postal item deposited at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65);

providing a second memory at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) and storing said number, said identification number(Gil et al., Abstract, Col. 10, Lines 19-26), said time and date and said shipping data in said second memory;

using a single printer at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65),printing a customer receipt(Gil et al., Abstract, Col. 2, Lines 5-15) at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) including at least said number, said time and date and said shipping data and also printing said marking including said number,

said time and date and said shipping data;

inserting a carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) having a carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) memory, possessed by a first mail carrier, into said first read/write unit at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) and enabling opening of said removal port while said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) is inserted in said first read/write unit and transferring said number, said identification number(Gil et al., Abstract, Col. 10, Lines 19-26)and said shipping data to said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) memory from said second memory;

said second carrier transporting said marked postal item from said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) to said distributing station(Gil et

Art Unit: 3628

al., Abstract, Col. 2, Lines 35-65) together with said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60); providing a second read/write unit at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) and inserting said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) into said second read/write unit and downloading said number, said identification number(Gil et al., Abstract, Col. 10, Lines 19-26)and said shipping data from said carrier card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) memory into said first memory;

at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65), scanning said machine-readable marking and identifying a weight(Gil et al., Abstract, Col. 3, Lines 1-45) of said marked postal item;

providing a postal calculating unit at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65) and supplying said postal calculating unit with said weight(Gil et al., Abstract, Col. 3, Lines 1-45) and said shipping data and calculating a cost(Gil et al., Abstract, Col. 9, Lines 5-67) of shipping said marked postal item in said postal calculating unit;

franking said marked postal item with said cost(Gil et al., Abstract, Col. 9, Lines 5-67) at said franking apparatus(Gil et al., Abstract, Col. 2, Lines 55-60); debiting a customer account, allocated to "said identification number, by said cost(Gil et al., Abstract, Col. 9, Lines 5-67); and

said first mail carrier transporting said franked postal item to a mail distribution(Gil et al., Abstract, Col. 5, Lines 45-60) center, remote from said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65), and delivering said franked postal item to a recipient identified by said shipping data via a second mail carrier(Gil et al., Abstract, Cols. 1-18).

Re claim 12: Gil et al. disclose a postal matter processing system as claimed in claim 10 wherein said card(Gil et al., Abstract, Col. 2, Lines 45-50, Col. 14, Lines 39-67, Col. 15, Lines 55-60) possessed by said customer contains a customer identification number(Gil et al., Abstract, Col. 10, Lines 19-26)which is read by said first read/write unit and said customer identification number(Gil et al., Abstract, Col. 10, Lines 19-26)is supplied to said control unit, said control unit including a clock/date module(Gil et al., Abstract, Col. 6, Lines 15-25)which identifies a time and date at which said postal item was deposited at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65), and said control unit controlling said printer at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) to print a customer receipt(Gil et al., Abstract, Col. 2, Lines 5-15) including said time and date and said customer identification number, and a customer account allocated to said customer identification number(Gil et al., Abstract, Col. 10, Lines 19-26)being debited after printing said marking and before said franking at said distributing station(Gil et al., Abstract, Col. 2, Lines 35-65).

Re claim 15: Gil et al. disclose a postal matter processing system as claimed in

Art Unit: 3628

claim 9 wherein said franking apparatus(Gil et al., Abstract, Col. 2, Lines 55-60) comprises a rate memory containing postal rates for calculating a cost(Gil et al., Abstract, Col. 9, Lines 5-67) of shipping said marked postal item.

Re claim 16: Gil et al. disclose a postal matter processing system as claimed in claim 9 further comprising a postal calculating unit at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) and a rate memory at said receiving station(Gil et al., Abstract, Col. 2, Lines 35-65) accessible by said postal calculating unit for calculating a cost(Gil et al., Abstract, Col. 9, Lines 5-67) of shipping said postal item dependent on said shipping data.

Re claim 17: Gil et al. disclose said control unit at said receiver station(Gil et al., Abstract, Col. 2, Lines 35-65) is connected to a modem at said receiver station(Gil et al., Abstract, Col. 2, Lines 35-65) for reloading updated rates into said rate memory(Gil et al., Abstract, Col. 14, Lines 39-67).

5. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gil et al. as applied to claim 9 above, and further in view of Cantu et al. (6340958).

Gil et al. does not explicitly disclose(s) comprising a solar powered energy source at said receiving station for powering at least said control unit. However, in Abstract thereof, Cantu et al. disclose(s) a solar powered display module that stores and displays information. Thus, it would have been within the level of ordinary skill in the art to modify the method of Gil et al. by adopting the teachings of Cantu et al. to obtain the benefits of solar-powered energy sources since these are cheaper and more efficient to use.

6. **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will

Art Unit: 3628

the statutory period for reply expire later than SIX MONTHS from the date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Debra F. Charles whose telephone number is (703) 305-4718. The examiner can normally be reached on 9-5 Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung Sough can be reached on (703) 308-0505. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-7687 for regular communications and (703) 305-7687 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1113.

Debra F. Charles
Examiner
Art Unit 3628

dfc
June 8, 2003


HYUNG SOUGH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600